KESSLER-SWISS PRODUCT BOOK 2024/2025

ENGLISH



REMIUM SKI AND SNOWBOARDS



MANUFACTURE

Every ski and snowboard is designed, developed and produced in Schwanden in the Canton of Glarus. Precise handiwork and a love for detail guarantee that our products are of the highest quality possible.

From the first blueprints to the wellengineered end products, our skis and snowboards go through elaborate development and production processes. Swiss craftsmanship paired with modern technology ensure that our products meet the highest quality and performance standards. The results are perfectly handcrafted products - Made in Switzerland.









PRODUCTION SITE IN SWITZERLAND

By manufacturing our products exclusively in Switzerland, we deliberately set up a countertrend in the ski industry. This has significant advantages in many respects. Thanks to the local infrastructure, new ideas and feedback from nearby test routes can directly influence our products. By controlling every production process, we can ensure that innovative developments are integrated into our products to ensure their high quality and performance.

«Modern production technology, as well as nearby test routes, form the backbone of our well-engineered and high-quality products.»

TECHNOLOGY

TIMELESS DESIGN

We demand the highest quality from our raw materials and handle them with passion and precision. Beneath the timeless and spatially optimized surface of our products are only premium materials.

The exquisite wood at the core is still the best recipe against unwanted vibration and for high performance. Depending on the area of application, the selected sidewall materials ensure maximum ice grip. Every component of Kessler products deserves the «Premium» seal according to our credo: «Pure Exterior, Maximum Power Interior.»

PURE EXTERNAL AESTHETICS...

} \$ \$ 1} \$ \$








...MAXIMIZED INTERNAL PERFORMANCE

PATENTED TECHNOLOGY

KST (Klothoid Shape Technology) is the patented technology used in all of our products. This type of construction was originally developed for snowboard racing and was successfully adopted for the manufacture of skis. With KST, different radii, which are achieved depending on the angle of the skis, define the driving line. As a result, the ski is more versatile. Small, tight curves, as well as wide curves, are possible with the same ski. The original construction has been constantly perfected during the last 20 years thanks to the close collaboration with Olympians and world champions. This experience can be felt in every product and is revealed through the high performance and easy handling of every one of our skis and snowboards.



Patent CH697123

«The secret of KST is the dynamic interplay between the baseline and the sidecut.»

BOARDS

PERFORMANCE, QUALITY AND SWISS CRAFTSMANSHIP

RACE/SLALOM

THE ALPINE WC Worldcup

With the new ALPINE Worldcup, Kessler has developed a snowboard that is optimally adapted to the new conditions in racing. The consistent application of the Kessler Shape Technology gives the rider full control over the board as usual. With the newly developed Torsion Power Control System (TPCS), even more energy can be stored in the swing, which then dynamically supports the swing change. The adapted geometry allows maximum speed at the exit of the turn. Success is pre-programmed.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec X woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|------|----------|-------|
| BEGINNER | •• | RACING | ••••• |
| ADVANCED | •••• | CARVING | ••••• |
| EXPERT | •••• | ALL MTN | |
| | | FREERIDE | |

SPECIFICATIONS

| Length | 1.56 m | 1.62m | 1.77 m | 1.86 m |
|--------------------|----------|--------------------------------|----------|----------|
| T1. 1.00 | 050 | 0/1 | 0/0 | 050 |
| Tip width | 252 mm | 261 mm | 243 MM | 250 mm |
| Waist width | 192 mm | 200 mm | 192 mm | 200 mm |
| | •••••• | •••••••••••••••••••••••••••••• | •••••• | |
| Tail width | 234 mm | 243 mm | 223 mm | 230 mm |
| Average radius | 10 | 11 m | 14 5 m | 10 |
| Average radius | 10 111 | 11111 | 10.0111 | 17 111 |
| Recommended stance | 480 mm | 500 mm | 480 mm | 500 mm |
| | | | | |
| Stance range (mm) | 440-520 | 460-540 | 440-520 | 460-540 |
| | | 75 001 | | 75 001 |
| Rider weight | 55-75 kg | 75–90 kg | 55-75 kg | 70-70 kg |

OPTIONS

| ArtNo. | | Length | | | | |
|--------------------|---------------|--------|--------|--------|--------|--|
| KS90.030 | The Alpine WC | 1.56 m | 1.62 m | 1.77 m | 1.86 m | |
| w. Allflex inserts | | | | | | |

ALLFLEX narrow fits for ALPINE 1.56 m, 1.77 m ALLFLEX wide fits for ALPINE 1.62 m, 1.86 m





RACE/SLALOM

THE ALPINE

No other board has won more medals or titles at international events than THE ALPINE. Snowboarding professionals around the world highly rate the steady edge grip and the control provided in all conditions due to the Kessler Shape Technology. THEALPINE provides easy handling when competing and racing, as well as during freestyle carving on icy terrain. Feel at ease from the very first turn, no matter what level you are at. Ambitious carvers love the THE ALPINE!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | STYLE | |
|----------|-------------|-------|
| BEGINNER | RACING | ••••• |
| ADVANCED | CARVING | ••••• |
| EXPERT | ALL MTN | |
| | FREERIDE | |


SPECIFICATIONS

| Length | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
|--------------------|----------|----------|----------|----------|----------|-----------|-----------|
| Tip width | 251 mm | 258 mm | 264 mm | 268 mm | 248 mm | 250 mm | 251 mm |
| Waist width | 190 mm | 195 mm | 200 mm | 202 mm | 195 mm | 200 mm | 202 mm |
| Tail width | 235 mm | 241 mm | 246 mm | 250 mm | 232 mm | 232 mm | 233 mm |
| Side Cut Range | 7–10 m | 7–11 m | 7–12 m | 8–12 m | 9–16 m | 11.5–19 m | 12–21 m |
| Recommended stance | 440 mm | 460 mm | 500 mm | 500 mm | 480 mm | 500 mm | 500 mm |
| Stance range (mm) | 400-480 | 420-500 | 460-540 | 460-540 | 440-520 | 460-540 | 460-540 |
| Rider weight | 45-65 kg | 55–75 kg | 65–95 kg | 65–95 kg | 55–80 kg | 60–85 kg | 75–100 kg |

OPTIONS

| ArtNo. | | Color | Length | | | | | | |
|--------------|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| KS90.013 | The Alpine | black | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.023 | The Alpine | white | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.013.ALF | The Alpine | black | | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.023.ALF | The Alpine | white | | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |

ALF: ALLFLEX narrow fits for ALPINE 1.56 m, 1.71 m





BOARDER X

X-CARVE

X-CARVE, the new board from Kessler's range of snowboards, provides for even faster and more precise carving. The proven construction of Kessler snowboards with multiple titanium layers ensures that the board rides smoothly and has torsional stiffness. A progressively decreasing sidecut in the tail area paired with the modern design at the front raises the carving experience to a new level. The board's width and 6x2 inserts give you increased flexibility to achieve your optimal binding setting.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|------|----------|-------|
| BEGINNER | •••• | RACING | ••••• |
| ADVANCED | •••• | CARVING | ••••• |
| EXPERT | •••• | ALL MTN | ••••• |
| | | FREERIDE | ••••• |


SPECIFICATIONS

| Length | 1.54m | 1.59 m | 1.64 m | 1.69 m | |
|--------------------|----------|----------|----------|-----------|--|
| Tip width | 304 mm | 308 mm | 309 mm | 309 mm | |
| Waist width | 250 mm | 255 mm | 260 mm | 264 mm | |
| Tail width | 289 mm | 293 mm | 294 mm | 295 mm | |
| Average radius | 9.5 m | 10.5 m | 12.5 m | 14.5 m | |
| Recommended stance | 510 mm | 530 mm | 550 mm | 570 mm | |
| Stance range (mm) | 450-570 | 470-590 | 490-610 | 510-630 | |
| Rider weight | 50–80 kg | 55–85 kg | 65–95 kg | 80–105 kg | |

OPTIONS

| ArtNo. | Color | Length | | | |
|------------------|-------|--------|--------|--------|--------|
| KS90.040 X-CARVE | black | 1.54 m | 1.59 m | 1.64 m | 1.69 m |
| KS90.041 X-CARVE | white | 1.54 m | 1.59 m | 1.64 m | 1.69 m |

Specifically developed for the X-CARVE: Art.-No.: KS91.032 K.Plate Rocket Cross



THE CROSS

It is amazing how easy carving can be with a soft boot and surprising how smoothly THE CROSS handles in all types of conditions. THE CROSS is the ultimate all-round board concept from the Kessler snowboard range and has made its mark in the world of snowboarding! Gold medals at Winter Olympic Games and at World Championships were won with THE CROSS in Boarder-X.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | STYLE | |
|----------|-------------|-------|
| BEGINNER | RACING | ••••• |
| ADVANCED | CARVING | ••••• |
| EXPERT | ALL MTN | ••••• |
| | FREERIDE | ••••• |

SPECIFICATIONS

| Length | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |
|--------------------|----------|-----------|----------|----------|----------|
| Tip width | 290 mm | 294 mm | 297 mm | 304 mm | 310 mm |
| Waist width | 238 mm | 242 mm | 246 mm | 250 mm | 258 mm |
| Tail width | 275 mm | 279 mm | 282 mm | 289 mm | 296 mm |
| Side Cut Range | 6–9.5 m | 6.5–9.5 m | 7–10 m | 8–11 m | 9–12 m |
| Recommended stance | 500 mm | 520 mm | 540 mm | 560 mm | 580 mm |
| Stance range (mm) | 460-540 | 480-560 | 500-580 | 520-600 | 540-620 |
| Rider weight | 40–55 kg | 48-65 kg | 55–75 kg | 60–85 kg | 75–98 kg |

OPTIONS

| ArtNo. | Color | Length | | | | |
|--------------------|-------|--------|--------|--------|--------|--------|
| KS90.053 The Cross | black | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |

Specifically developed for THE CROSS: Art.-No.: KS91.032 K.Plate Rocket Cross



BOARDER X

THE CROSS light

Lighter build, easier to control, easier to ride. For light riders who don't want weak boards, but demand as much bite and the same performance as the heavy hitters. THE CROSS LIGHT combines the uncompromising champion properties of THE CROSS with additional effortless control and the best handling. For sheer driving pleasure at the highest level.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------|----------|-------|
| BEGINNER | ••••• | RACING | ••••• |
| ADVANCED | •••• | CARVING | ••••• |
| EXPERT | ••••• | ALL MTN | •••• |
| | | FREERIDE | ••••• |

SPECIFICATIONS

| Length | 1.48 m | 1.53 m | 1.58 m | 1.63 m |
|--------------------|----------|-----------|----------|----------|
| Tip width | 290 mm | 294 mm | 297 mm | 304 mm |
| Waist width | 238 mm | 242 mm | 246 mm | 250 mm |
| Tail width | 275 mm | 279 mm | 282 mm | 289 mm |
| Side Cut Range | 6–9.5 m | 6.5–9.5 m | 7–10 m | 8–11 m |
| Recommended stance | 500 mm | 520 mm | 540 mm | 560 mm |
| Stance range (mm) | 460-540 | 480-560 | 500-580 | 520-600 |
| Rider weight | 35–50 kg | 45–60 kg | 50–65 kg | 55–70 kg |

OPTIONS

| ArtNo. | Color | Length | | | |
|--------------------------|-------|--------|--------|--------|--------|
| KS90.062 The Cross light | white | 1.48 m | 1.53 m | 1.58 m | 1.63 m |

Specifically developed for THE CROSS light: Art.-No.: KS91.032 K.Plate Rocket Cross



ALL MOUNTAIN

SPECTRA

Are you ready for freshly snow-covered powdered slopes or hard pistes? With the new SPETRA, come what may. The board's uncompromising power ensures a breathtaking performance for every snow condition. The slightly softer core provides for a more playful nature, without losing edge grip or torsional strength.

The additional use of carbon layers provides plenty of pop and an extremely fast response time of the board.

No matter what comes your way, you're ready with the new SPECTRA.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.TecBP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS


| LEVEL | STYLE | |
|----------|-------------|-------|
| BEGINNER | RACING | |
| ADVANCED | CARVING | ••••• |
| EXPERT | ALL MTN | ••••• |
| | FREERIDE | ••••• |

SPECIFICATIONS

| Length | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |
|--------------------|----------|-----------|----------|----------|----------|
| Tip width | 290 mm | 294 mm | 297 mm | 304 mm | 310 mm |
| Waist width | 238 mm | 242 mm | 246 mm | 250 mm | 258 mm |
| Tail width | 275 mm | 279 mm | 282 mm | 289 mm | 296 mm |
| Side Cut Range | 6–9.5 m | 6.5–9.5 m | 7–10 m | 8–11 m | 9–12 m |
| Recommended stance | 500 mm | 520 mm | 520 mm | 540 mm | 560 mm |
| Stance range (mm) | 460-540 | 480-560 | 480-560 | 500-580 | 520-600 |
| Rider weight | 40–60 kg | 50–65 kg | 55–75 kg | 60–85 kg | 65–95 kg |

OPTIONS

| ArtNo. | Color | Length | | | | |
|------------------|-------|--------|--------|--------|--------|--------|
| KS90.081 Spectra | white | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |



SNOWBOARD BINDINGS, PLATES AND COVERS

K.TECH ALPINE TI

The high-end plate binding for racers and extreme carvers. Improved power transmission and flex performance due to new bail geometry.

- 3 sizes for perfect flex performance
- Quick and direct power transmission
- Anodized Titanium coating for excellent looks and corrosion resistance
- Stiff side flex especially for very narrow boards and steep binding angles
- EDS-shock absorption system for full control
- Extremely stable due to extra thick 5.9 mm stainless steel bails



| Size | S: 21.5 – 26.5 | M: 24.5 – 27.5 | L: 26.5 – 31.0 |
|--------|-------------------------------------|---|----------------|
| | ••••••••••••••••••••••••••••••••••• | • | |
| ArtNo. | KS91.010 | | |

Boardcover SL/GS



| Size | M: 150-169 | L: 170–186 |
|--------|------------|---|
| | | • |
| ArtNo. | KS93.080 | |

ROCKET CROSS

The K. Plate Rocket Cross has been designed to meet the highest demands of Boarder-Cross-Riders. Due to the increased elevation, the board can now get even more edge without the boot or binding touching the snow. The sleek form of the binding plate guarantees an equal application of pressure on the board whilst increasing the grip of the edges and improving riding stability.

The K. Plate Rocket Cross can be customised to the width of the board, and can be easily mounted on your own.

Length: 310 mm Weight incl. screws: 1200 g Adjustable width: 230, 242, 252 mm



Art.-No. KS91.032

Boardcover Cross

| | K≡\$\$}} <i>≣</i> \$ | |
|--------|----------------------|------------|
| Size | M: 148–159 | L: 160–176 |
| ArtNo. | KS93.090 | |

Boardcover X-Carve

| | ≮≡ऽऽ।≡ | |
|--------|------------|------------|
| Size | M: 152–161 | L: 162–171 |
| ArtNo. | KS93.100 | |



CONTACT

HEADOFFICE

KESSLER-SWISS AG Sernftalstrasse 33 <u>8762 Schwan</u>den

Phone +41 41 511 79 90

info@kessler-swiss.com www.kessler-swiss.com

SALES

SWITZERLAND KESSLER-SWISS AG, Switzerland Phone: +41 41 511 79 90

info@kessler-swiss.com

GERMANY and AUSTRIA Skitrade Zippel Phone Harry: 49 160 8514526 Phone Andi: +49 171 7572652

skitrade.zippel@t-online.de

ITALIA Ivo Rudiferia Phone: +39 335 78 40 359 ivo.rudiferia@kessler-swiss.com



INTERNATIONAL DISTRIBUTION

AUSTRALIA

First Tracks Snowboards 1A Nuggets Crossing AUS - NSW 2627 Jindabyne Contact: Michael Smith Phone +61264561788 info@firsttracks.com.aus

CHINA

Auric Co.,Ltd A-3,Zuiku Garden, Caochangdi, Cuigezhuang CHN - 100015 Beijing, Chaoyang District Contact: Kim Han Sol Phone +86 1025 1930 40 hansol@auricsports.com

JAPAN

Winckler & Co Ltd. 9-1, 4-chome Chojamachi, Naka-ku JP - 232-00 Yokohama Contact: Yasuto Horikawa Phone +81 788821970 snow@wslc.co.jp

ALL OTHER COUNTRIES: KESSLER-SWISS AG, Switzerland Phone +41 41 511 79 90 info@kessler-swiss.com

KAZAKHSTAN

Renat Shaimardanov Kazibek bi 29,11 KZ - 50010 Almaty Contact: Renat Shaimardarov Phone +7 7012040707 renat@agregator.kz

KOREA

H-Force Sung-won Hwang A8-57, 8F, Han River Misa 550 Misa-daero, Hanam-si KP - 12925 Gyeonggi-do Phone +82 25327944 jj3046@naver.com

KOREA

KHB International Teheran-ro 28-gil, Gangnam-gu KP - 06223 Seoul Contact: Kyung Ho Lee Phone +82 264180468 dbehaos1@hanmail.net

RUSSIA

Genza Ltd. B. Pochtovaya 20 RU - 105082 Moscow Contact: Genza Gennady Phone +7 4992612322 genza@genza.ru

SLOVENIA

Medi-sport, d.o.o. Stula 13 SL - 1210 Ljubljana Contact: Ales Rogelj Phone +38 641394972 ales.rogelj@kessler.si