

KORUA
SHAPES

**WITH A DEEP APPRECIATION FOR TURNING ON
SNOW AND INNOVATIVE SHAPE DESIGN, WE
CREATE TRULY UNIQUE RIDING EXPERIENCES,
SIMPLY FOR THE SAKE OF BEAUTY AND JOY.**

**WELCOME TO KORUA
→ WINTER 2024/25**



PENCIL



PIN TONIC



DART



CAFÉ RACER

CLASSIC LINE



UBEREGG



TRANSITION
FINDER



OTTO



POCKET ROCKET



ESCALATOR
SPLIT



PENCIL SPLIT

SPLIT LINE



TRANSITION
FINDER SPLIT



DART SPLIT



BULLET TRAIN
PLUS



PENCIL PLUS



OTTO PLUS

PLUS LINE



DART PLUS



TRANSITION
FINDER PLUS




CAFÉ RACER
PLUS

KORUA

CLASSIC

KORUA SHAPES GREW OUT OF A DEEP APPRECIATION FOR TURNING ON SNOW. THEREFORE WE ASPIRE TO MAKE EASY-TO-RIDE SNOWBOARDS WHERE EACH AND EVERY SHAPE SHARES THE ABILITY TO CARVE EXCEPTIONALLY WELL ON PISTE AND EXCEL IN POWDER.

FIND OUT MORE ABOUT OUR CLASSIC LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)



CLASSIC LINE



OTTO



153 / 157 / 161

CAFÉ RACER



150 / 156 / 159
164

ÜBEREGG



157

DART



147 / 152 / 156
160 / 164

PIN TONIC



164 / 172

TRANSITION
FINDER



150 / 154 / 157
160

PENCIL



138 / 147 / 153
159 / 164

POCKET
ROCKET



129

CLASSIC LINE

SPECS	Transition Finder 50	Transition Finder 54	Transition Finder 57	Transition Finder 60	Otto 53	Otto 57	Otto 61	Café Racer 50	Café Racer 56	Café Racer 59	Café Racer 64
Size (cm)	150	154	157	160	153	157	161	150	156	159	164
Effective edge (mm)	1130	1170	1200	1220	1120	1170	1210	1100	1160	1200	1230
Running length (mm)	960	1000	1020	1040	970	1010	1050	950	1010	1050	1090
Nose width (mm)	294	306	316	327	291	298	309	302	311	322	330
Waist width (mm)	252	260	268	278	255	260	268	254	260	269	276
Tail width (mm)	278	288	298	309	291	298	309	276	284	294	302
Sidecut (m)	8.1	8.1	8.2	8.2	8.1	8.2	8.3	7.9	8	8.2	8.5
Setback (mm)	20	20	20	20	10	10	10	35	35	35	35
Taper (mm)	16	18	18	18	0	0	0	26	27	28	28
Ref. stance (cm)	54	55	56	56	55	55	56	53	54	55	55
Adjust. stance range (cm)	50-58	51-59	52-60	52-60	51-59	52-60	52-60	49-57	50-58	51-59	51-59
Board weight (kg)	2.8	3	3.1	3.2	2.8	3	3.2	2.7	3.1	3.2	3.3
Flex (1-10)	5	6	6	6	6	6	6	6	7	7	7
Float (1-10)	7	6	7	7	6	6	6	7	7	7	8
Topsheet	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer
Fabric	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Doable	Doable	Doable	Doable
Rider weight (kg)	40-75	50-80	60-90	70-95	45-80	55-90	60-95	45-75	50-80	55-85	65-95
Boot size (EU)	up to -41	up to -44	up to -46	up to -49	up to -43	up to -44	up to -47	up to -42	up to -44	up to -46	up to -49

CLASSIC LINE

SPECS	Pencil 38	Pencil 47	Pencil 53	Pencil 59	Pencil 64	Pin Tonic 64	Pin Tonic 72	Dart 47	Dart 52	Dart 56	Dart 60	Dart 64	Über Egg 57	Pocket Rocket 29
Size (cm)	138	147	153	159	164	164	172	147	152	156	160	164	157	129
Effective edge (mm)	980	1060	1100	1160	1200	1200	1260	1100	1160	1200	1230	1270	1030	950
Running length (mm)	840	920	950	1030	1060	1060	1120	960	1010	1050	1090	1130	Full Rocker	Full Rocker
Nose width (mm)	280	298	302	311	322	324	332	302	311	322	328	336	352	359
Waist width (mm)	240	252	254	260	269	269	276	252	260	269	274	280	290	302
Tail width (mm)	256	272	276	284	294	293	303	276	284	294	300	308	286	296
Sidecut (m)	7.8	7.9	8	8.1	8.2	8.2	8.6	8	8.1	8.2	8.3	8.4	8.8	8.2
Setback (mm)	35	35	35	35	35	20	20	40	40	40	40	40	60	20
Taper (mm)	24	26	27	28	28	31	28	26	27	28	28	28	36	44
Ref. stance (cm)	46	53	53	55	55	55	55	51	52	53	53	53	45	54
Adjust. stance range (cm)	42-50	49-57	49-57	51-59	51-59	49-61	49-61	47-55	48-56	49-57	49-57	49-57	42-66	44-58
Board weight (kg)	2.5	2.8	2.9	3.1	3.3	2.9	3.1	2.6	2.7	2.9	3	3.2	2.7	2.5
Flex (1-10)	6	6	6	6	6	7	7	5	6	7	7	7	6	6
Float (1-10)	7	7	8	8	8	7	8	7	7	7	8	8	9	8
Topsheet	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Laquer	UV Laquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Lacquer	UV Laquer	UV Lacquer
Fabric	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Doable	Doable	Doable	Doable	Doable	Absolutely	Absolutely	Challenging	Challenging	Challenging	Challenging	Challenging	Why Not	Doable
Rider weight (kg)	30-50	40-60	45-75	55-90	60-95	55-85	65-95	50-80	50-80	55-95	65-95	65-95	55-95	50-90
Boot size (EU)	up to -38	up to -41	up to -42	up to -44	up to -46	up to -46	up to -49	up to -42	up to -44	up to -46	up to -48	up to -50	up to -52	up to -52

KORUA⁺

+ STANDS FOR ADDITIONAL QUALITY AND PERFORMANCE. BY MERGING PREMIUM MATERIALS WITH PERCISE SHAPE DESIGN AND TECHNOLOGY WE AIM TO BUILD THE BEST SNOWBOARDS POSSIBLE.

FIND OUT MORE ABOUT OUR PLUS LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)



PLUS LINE



PENCIL +



164

CAFÉ RACER +



159

DART +



156 / 164

OTTO +



157 / 161

**TRANSITION
FINDER +**



157 / 160

BULLET TRAIN +



160

PLUS LINE


SPECS	Pencil 64 +	Transition Finder 57 +	Otto 57 +	Otto 61 +	Dart 56 +	Dart 64 +	Café Racer 59 +	Bullet Train 61 +
Size (cm)	164	157	157	157	156	164	159	160
Effective edge (mm)	1200	1200	1170	1210	1200	1260	1200	1324
Running length (mm)	1060	1040	1010	1050	1050	1120	1060	1180
Nose width (mm)	324	316	298	309	322	332	324	321
Waist width (mm)	269	268	260	268	269	276	269	269
Tail width (mm)	293	298	298	309	294	303	293	299
Sidecut (m)	8.2	8.2	8.2	8.3	8.2	8.6	8.2	9.8
Setback (mm)	20	20	10	10	40	40	20	30
Taper (mm)	31	18	0	0	28	28	31	22
Ref. stance (cm)	55	55	55	56	53	53	55	53
Adjust. stance range (cm)	51-59	51-59	51-59	52-60	49-57	49-57	49-95	49-61
Board weight (kg)	2.65	2.5	2.5	2.6	2.9	3.2	3.4	3.3
Flex (1-10)	7	7	7	7	7	7	8	9
Float (1-10)	8	7	6	6	7	8	7	5
Topsheet	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	Perlatech	PA Triple Compound
Fabric	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Titanal	Titanal
Core	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia/PoplarLight	Paulownia/PoplarLight	Paulownia / Poplar Light	Paulownia / Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Doable	Hell Yeah	Hell Yeah	Hell Yeah	Challenging	Challenging	Doable	Doable
Rider weight (kg)	60-95	60-90	55-90	60-95	55-90	65-95	60-95	65-95
Boot size (EU)	up to -46	up to -46	up to -44	up to -47	up to -46	up to -50	up to -46	up to -46

KORUA

SPLIT

MADE FOR HUMAN POWERED EXPLORATION FAR AWAY FROM THE LIFTLINES, AND STAYING TRUE TO OUR CORE PHILOSOPHY, WE DESIGN OUR SPLITBOARDS TO TURN AND FLOAT REMARKABLY WELL.

FIND OUT MORE ABOUT OUR SPLIT LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)



SPLIT LINE



SPENCER O'BRIEN / ESCALATOR SPLIT + 157

DART SPLIT



156 / 162

PENCIL SPLIT



147 / 164

TRANSITION
FINDER SPLIT



150 / 157

ESCALATOR SPLIT +




152 / 157 / 162


SPLIT LINE									
SPECS	Escalator Split 52 +	Escalator Split 57 +	Escalator Split 62 +	Pencil Split 47	Pencil Split 64	Transition Finder Split 50	Transition Finder Split 57	Dart Split 56	Dart Split 62
Size (cm)	152	157	162	147	164	150	157	156	162
Effective edge (mm)	1150	1200	1250	1050	1200	1130	1200	1200	1230
Running length (mm)	1000	1050	1100	930	1060	970	1040	1060	1090
Nose width (mm)	299	310	304	298	321	294	321	320	325
Waist width (mm)	253	259	259	249	266	252	266	268	275
Tail width (mm)	285	286	287	270	290	278	290	295	302
Sidecut (m)	8	8.2	9.6	8	8.2	8.1	8.2	8.2	8.6
Setback (mm)	20	20	20	18	20	20	20	27	27
Taper (mm)	14	24	17	20	31	16	31	27	23
Ref. stance (cm)	55	55	55	54	55	55	55	55	55
Adjust. stance range (cm)	50-64	50-64	50-64	49-63	50-64	50-64	50-64	50-64	50-64
Board weight (kg)	2.5	2.65	2.8	2.7	3.5	3.2	3.3	3.3	3.5
Flex (1-10)	6	7	7	5	6	5	6	6	6
Float (1-10)	6	7	7	6	8	7	7	8	8
Topsheet	Perlatech	Perlatech	Perlatech	UV Lacquer	UV Lacquer	UV Laquer	UV Laquer	UV Lacquer	UV Lacquer
Fabric	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial
Core	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec	Perlatec
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	No Problem	No Problem	No Problem	Doable	Doable	No Problem	No Problem	Challenging	Challenging
Rider weight (kg)	45-75	55-85	65-95	40-60	60-95	60-90	60-90	55-90	65-95
Boot size (EU)	up to -42	up to -44	up to -44	up to -40	up to -46	up to -41	up to -46	up to -47	up to -49

CAMBER PROFILES

Full Camber / Float Camber / Full Rocker



Our **full camber** is a modern version of the classic camber that many of us grew up with. Like the classic, it offers more stability and grip because more of your board is in the snow when it's set on edge. Unlike the classic version, ours offers more float and speed in soft snow due to a smoother transition into the nose area.



Our smooth **float camber** curves into a rocker shape in the nose area creating an S-like shape. This design gives you the lift you need in deep powder, improving float while maintaining speed throughout the whole turn. It also offers response and stability when going for airs or simply turning in variable conditions.



Our **full rocker** offers the most float of all our board profiles. It's only applied to a few shapes like the Pocket Rocket and Über Egg. Combined with these unconventional shape designs it makes for a truly unique riding experience in deep conditions.



KORUA
SHAPES

PRESENTS

PRESENTS

NEON NOIR

NICHOLAS WOLKEN SPENCER O'BRIEN JAMES NIEDERBERGER RUNAR HJÖRLEIFSSON DARIA FUCHS ATSUFUMI MIZUNO

A FILM BY ELIEL HINDERT

[WATCH HERE](#)



MAIN OFFICE

Bahnhofstrasse 75
83098 Brannenburg
Germany

0049 8034 6369969
www.koruashapes.com
info@koruashapes.com

Management

jerry@koruashapes.com

**Global Sales & Retail /
Customer Service Europe**
lino@koruashapes.com

**Customer Service
North America**

benji@koruashapes.com

Japan

cs@koruashapes.com

Marketing & Media

geoff@koruashapes.com

Accounting

renate@koruashapes.com

Product Design

nicholas@koruashapes.com

Creative

aaron@koruashapes.com

Instagram: [@korua_shapes](#)
Facebook: [@koruashapes](#)
[YouTube.com/KoruaShapes](#)
[#madeforturning](#)

